

Waterway dimensions

The dimensions in this document are a rough guide only. Waterway levels can vary greatly depending on how much rain we've had or how dry it's been. Waterways marked as 'narrow' are not suitable for boats with a beam greater than 2.13m (7ft).

Alre & Calder Navigation Maximum craft dimensions

Goole to tall of Leeds Lock

Length	Beam	Draught	Headroom
61m	200ft 2"	6.1m 20ft	2.5m 8ft 2"
			3.6m 11ft 9"

Castleford Lock is limiting due to the curve of the lock chamber. Heck Road Bridge is now lower than Stubbs Bridge (investigations underway), which was previously limiting. A height of 3.6m (11ft 9") at Heck should be seen as maximum at the crown during normal water.

Tall of Leeds Lock to tall of River Lock

Length	Beam	Draught	Headroom
19.8m	64ft 11"	5.4m 17ft 8"	2.3m 7ft 6"
			3.6m 11ft 10"

Note 1: Pleasure craft dimensions showing small lock being limiting unless by previous arrangement to access full lock giving an extra 43m.

Note 2: Headroom at Crown Point Bridge at summer levels

Wakefield Branch

Length	Beam	Draught	Headroom
21.4m	70ft 2"	5.4m 17ft 8"	2.3m 7ft 6"
			3.88m 12ft 9"

Note 1: Broadreach Lock: Pleasure craft dimensions showing small lock being limiting unless by prior arrangement to access full lock giving an extra 43m.

Note 2: Heck Road Bridge: Still limiting due to constraints on other sections leading to the Wakefield branch. A height of 3.6m at Heck should be seen as maximum at the crown during normal water level.

River Alre

Length	Beam	Draught	Headroom
23.92m	78ft 6"	5.03m 16ft 6"	1.22m 4ft
			3.0m 9ft 10"

From River Ouse Into Selby Basin only

Length	Beam	Draught	Headroom
23.92m	78ft 6"	5.69m 18ft 8"	Max 1.98m 6ft 6" depending on tide

Ashby Canal (narrow) Maximum craft dimensions

Length	Beam	Draught	Headroom
21.95m	72ft	2.13m 7ft	1.06m 3ft 6"
			1.98m 6ft 6"

Ashton Canal (narrow) Maximum craft dimensions

Length	Beam	Draught	Headroom
21.79m	71ft 5"	2.13m 7ft	0.9m 3ft
			1.82m 5ft 11"

Birmingham Canal Navigations (narrow) Maximum craft dimensions

Length	Beam	Draught	Headroom
21.34m	70ft	2.13m 7ft	1.22m 4ft
			1.98m 6ft 6"

Note: Headroom through Dudley Tunnel is considerably restricted, contact local office for further information. **Pinch point:** top of Camp Hill

Birmingham & Fazeley Canal (narrow) Maximum craft dimensions

Length	Beam	Draught	Headroom
21.34m	70ft	2.13m 7ft	1.22m 4ft
			1.91m 6ft 3"

Bridgwater & Taunton Canal Maximum craft dimensions

Length	Beam	Draught	Headroom
15.24m	50ft	3.2m 10ft 6"	0.9m 2ft 11"
			2.1m 6ft 10"

Note: Locks are 4.42m (14ft 6ins) wide: beam is restricted by bridges.

Calder & Hebble Navigation Maximum craft dimensions

Length	Beam	Draught	Headroom
17.5m	57ft 5"	4.32m 14ft 2"	1.07m 3ft 6"
			2.85m 9ft 4"

Caldon Canal (narrow) Maximum craft dimensions

Etruria Junction to Hazlehurst Junction			
Length	Beam	Draught	Headroom
21.95m	72ft	2.13m 7ft	1.2m 3ft 11"
			1.78m 5ft 10"

Hazlehurst Junction to Leek			
Length	Beam	Draught	Headroom
21.95m	72ft	2.13m 7ft	1.2m 3ft 11"
			2.05m 6ft 9"

Hazlehurst Junction to Froghall Tunnel			
Length	Beam	Draught	Headroom
21.95m	72ft	2.13m 7ft	1.2m 3ft 11"
			2.05m 6ft 9"

Note: Headroom through Froghall Tunnel considerably restricted to 6ft 8ins (2.03m 6ft 8") beam and (1.52m 5ft) headroom.

Pinch point: Less than 7' (2.13m) at Consal Forge Railway Bridge (landslip) **Tunnel:** 7' beam is acceptable, the issue is tumblehome and height

Chesterfield Canal (narrow) Maximum craft dimensions

River Trent Into West Stockwith Basin only			
Length	Beam	Draught	Headroom
21.95m	72ft	5.33m 17ft 6"	2.44m 8ft
			unlimited

Note: Whitsunday Pie Lock walls taper towards the lock floor and you need to take this into account when navigating this canal. Measurements within stoppages are being taken this winter to determine the dimensions of known pinch points.

West Stockwith Basin to tall of Morse Lock (narrow)

Length	Beam	Draught	Headroom
21.95m	72ft	2.13m 7ft	0.98m 3ft 2"
			2.15m 7ft 1"

Note: Locks up to Retford are 4.57m (15ft) wide but Navigation for broad beam craft is restricted due to the width 2.59m (8ft 6in) at Manor Farm Bridge, Walkeringham.

Tall of Morse Lock to Shireoaks (narrow)

Length	Beam	Draught	Headroom
21.95m	72ft	2.08m 6ft 10"	
			2.15m 7ft 1"

Note: Some locks are only just 2.13m (7ft) wide and passage for some craft up to 7ft beam may be possible.

Coventry Canal (narrow) Maximum craft dimensions

Length	Beam	Draught	Headroom
21.34m	70ft	2.13m 7ft	1.4m 4ft 7"
			1.7m 5ft 7"

Droitwich Canal Maximum craft dimensions

*Hawford Junction to Bridge 15			
Length	Beam	Draught	Headroom
18.59m	61ft	4.20m 13' 09"	

*Hawford Junction to Bridge 15 (narrow)			
Length	Beam	Draught	Headroom
21.80m	71ft 06"	2.13m 7'	

Bridge 15 to Barge Lock (narrow)			
Length	Beam	Draught	Headroom

21.80m 71ft 06" 2.13m 7'

River Salwarpe Barge Lock to Junction Lock 7 (narrow)

Length	Beam	Draught	Headroom
21.80m	71ft 06"	2.13m	7'

Droitwich Junction Canal River Salwarpe to Hanbury Junction Lock 7 (narrow)

Length	Beam	Draught	Headroom
21.80m	71ft 06"	2.13m	7'

*Narrow beam boats will fit up to the longer length shown. **Pinch points:** M5 and the top lock.

Erewash Canal

Length	Beam	Draught	Headroom
24.5m	80ft 4"	4.1m 13ft 5"	1.22m 4ft
			2.23m 7ft 4"

Note 1: Beam is limited by low arched bridges; wider beam up to about 13ft may be possible depending on the headroom needed
Note 2: Locks are more than 4.27m (14ft) wide and will therefore take two narrowboats.

Fosdyke Navigation

Length	Beam	Draught	Headroom
22.8m	75ft	4.69m 15ft 4"	1.52m 5ft
			3.65m 12ft

Gloucester & Sharpness Canal

Length	Beam	Draught	Headroom
91.44m	300ft	16.76m 55ft	

Sharpness Docks to Gloucester Docks

Length	Beam	Draught	Headroom
64m	210ft	9.6m 31ft 5"	3.5m 11ft 6"
			32m 105ft

Note 1: Parkend Bridge/Fretherne *At 3.5m draught. The main constraint is the approach to each bridge at a specified depth. Harbour master to advise.
Note 2: 64m limitation due to bends in Canal. See advise from harbour master for longer vessels.

Gloucester Docks to River Severn through Gloucester Lock

Length	Beam	Draught	Headroom
41.15m	135ft	6.4m 21ft	1.83m 6ft
			7.5m 24ft 7"

Grand Union Canal

Length	Beam	Draught	Headroom
28m	91ft 10"	7.5m 24ft 7"	

River Thames Into Brentford Basin only

Length	Beam	Draught	Headroom
22.87m	75ft	5.02m 16ft 5"	

Note: Duplicated locks; one lock is larger than the other.

Paddington Arm (Grand Union Canal)

Length	Beam	Draught	Headroom
	4.3m 14ft 1"		2.08m 6ft 9"

Brentford to Bulls Bridge

Length	Beam	Draught	Headroom
22.2m	72ft 10"	4.26m 14ft	1.48m 4ft 10"
			2.88m 9ft 5"

Grand Union Canal

Length	Beam	Draught	Headroom
21.75m	71ft 4"	4.26m 14ft	1.03m 3ft 4"
			2.34m 3ft 4"

Slough Arm (no locks)

Length	Beam	Draught	Headroom
	4.92m 16ft 2"		2.33m 7ft 7"

Lock 82 (Stockers Lock) Rickmansworth to Berkhamsted

Length	Beam	Draught	Headroom
21.95m	72ft	4.27m 14ft	1.23m 4ft
			2.28m 7ft 6"

Berkhamsted to Long Buckby

Length	Beam	Draught	Headroom
21.95m	72ft	3.81m 12ft 6"	1.14m 3ft 9"
			2.28m 7ft 6"

Pinch point 14' Lock S Leighton Buzzard

Wendover Arm (narrow)

Length	Beam	Draught	Headroom
21.95m	72ft	2.13m 7ft	

Aylesbury Arm (narrow)

Length	Beam	Draught	Headroom
22.57m	74ft	2.13m 7ft	1.29m 4ft 3"
			2.28m 7ft 6"

Northampton Arm (narrow)

Length	Beam	Draught	Headroom
22.57m	74ft	2.13m 7ft	1.23m 4ft
			2.18m 7ft 1"

Grand Union Canal

Length	Beam	Draught	Headroom
21.94m	72ft	3.81m 12ft 6"	1.11m 3ft 8"
			1.90m 6ft 3"

Leicester Line (Grand Union Canal)

Length	Beam	Draught	Headroom
21.94m	72ft	2.13m 7ft	1.17m 3ft 10"
			2.28m 7ft 6"

Foxton to Kings Lock

Length	Beam	Draught	Headroom
21.94m	72ft	3.05m 10ft	1m 3ft 3"
			2.13m 7ft

Welford Arm (narrow)

Length	Beam	Draught	Headroom
21.94m	72ft	2.13m 7ft	

Kings Lock to Leicester

Length	Beam	Draught	Headroom
24.1m	79ft	4.5m 14ft 9"	1.35m 4ft 5"
			2.13m 7ft

Market Harborough Arm

Length	Beam	Draught	Headroom
21.95m	72ft	2.9m 9ft 6"	1.23m 4ft
			2.28m 7ft 6"

Hertford Union Canal Maximum craft dimensions

Length	Beam	Draught	Headroom
26m 85ft 3"	4.45m 14ft 7"	1.3m 4ft 3"	2.33m 7ft 7"

Huddersfield Broad Canal Maximum craft dimensions

Length	Beam	Draught	Headroom
17.55m 57ft 6"	4.22m 13ft 9"	1.40m 4ft 7"	2.5m 8ft 2"

Huddersfield Narrow Canal (narrow) Maximum craft dimensions

Length	Beam	Draught	Headroom
21.35m 70ft	2.08m 6ft 10"	1.05m 3ft 5"	1.88m 6ft 2"
2.133m	7' beam up to Lock 21W		

Aspley Basin to Standedge Tunnel (narrow)

Length	Beam	Draught	Headroom
21.95m 72ft	2.08m 6ft 10"	0.75m 2ft 5"	1.88m 6ft 2"

Note: The height restriction tallies with that of Standedge Tunnel, and the restriction applies before HNC at Lock 1.

Kennet & Avon Canal Maximum craft dimensions**Hanham Lock to Bridge 194 (Bath)**

Length	Beam	Draught	Headroom
22.55m 74ft	4.88m 16ft	1.30m 4ft 3"	2.67m 8ft 10"

Bridge 194 - Blakes Lock (Reading)

Length	Beam	Draught	Headroom
21.95m 72ft	4m 13ft 1"	1.1m 3ft 7"	2.4m 7ft 10"

Lancaster Canal Maximum craft dimensions**Main Line**

Length	Beam	Draught	Headroom
22m 72ft 2"	4.3m 14ft	0.9m 3ft	2.5m 8ft 2"

Height at Ashton Basin = 2m/6ft 7". No navigable locks on the Lancaster, just the Ribble Link and Glasson Branch

Glasson Branch

Length	Beam	Draught	Headroom
22.3m 73ft 1"	4.3m 14ft 1"	1.3m 4ft 3"	2.5m 8ft 2"

Llangollen Canal (narrow)

Length	Beam	Draught	Headroom
21.95m 72ft	2.08m 6ft 10"	0.70m 2ft 3"	2.13m 7ft

Pinch point: Hurleston

River Dee Branch

Length	Beam	Draught	Headroom
21.95m 72ft	4.3m 14ft 1"	1.37m 4ft 6"	2.34m 7ft 8"

Lee Navigation Maximum craft dimensions**Below Old Ford Locks (entering from Limehouse)**

Length	Beam	Draught	Headroom
28.8m 94ft 6"	7.8m 25ft 7"	3.5m 11ft 6"	2.6m 8ft 6"

Below Old Ford Locks (entering from Bow)

Length	Beam	Draught	Headroom
29.8m 97ft 9"	5.88m 19ft 3"	3m 9ft 11"	2.6m 8ft 6"

Old Ford Locks to Ponders End

Length	Beam	Draught	Headroom
25.8m 9ft 2"	5.49m 17ft 8"	2.7m 8ft 10"	2.3m 7ft 6"

Ponders End to Hertford

Length	Beam	Draught	Headroom
27.8m 91ft 2"	4.7m 15ft 5"	1.6m 5ft 3"	2.18m 7ft 1"

Leeds & Liverpool Canal Maximum craft dimensions**Greenberfield Locks to Leeds**

Length	Beam	Draught	Headroom
19.40m 63ft 6"	4.3m 14ft 1"	1.15m 3ft 8"	2.15m 7ft

Note: 19.40m limiting length relates to the east although generally the max length boat on the L&L is 18.90m (62ft)

Liverpool to Leigh Branch

Length	Beam	Draught	Headroom
22m 72ft 2"	4.4m 14ft 5"	1.22m 4ft	2.4m 7ft 9"

Leigh Branch to Greenberfield

Length	Beam	Draught	Headroom
19m 62ft 4"	4.5m 14ft 9"	1.14m 3ft 9"	2.28m 7ft 6"

Note: Limiting height is Foulridge Tunnel

Leigh Branch

Length	Beam	Draught	Headroom
21.95m 72ft	4.6m 15ft 1"	1.2m 3ft 11"	2.3m 7ft 6"

Rufford Branch

Length	Beam	Draught	Headroom
18.89m 62ft	4.3m 14ft 1"	1.1m 3ft 7"	2.3m 7ft 6"

Macclesfield Canal (narrow) Maximum craft dimensions

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1m 3ft 3"	2.08m 6ft 10"

Monmouthshire & Brecon Canal Maximum craft dimensions

Length	Beam	Draught	Headroom
16.76m 55ft	2.59m 8ft 5"	0.75m 2.46ft	1.80m 5ft 9"

Note: Ashford Tunnel limits cabin profile, eg 1.7m (5ft 7ins) height at 2.1m (6ft 10ins) width. Contact local office for further detail.

Montgomery Canal (narrow) Maximum craft dimensions

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1.2m 3ft 11"	1.83m 6ft

River Ouse (Yorkshire) Maximum craft dimensions

Length	Beam	Draught	Headroom
17.5m 57ft 4"	4.66m 15ft 2"	Tidal	5.94m (19ft 5") Naburn Bridge

Note: Depths are in all cases depends on River/tidal conditions.

Naburn Locks to York

Length	Beam	Draught	Headroom
42.62m 140ft	7.31m 24ft		

York to Swale NAB

Length	Beam	Draught	Headroom
18.28m	59ft 11"	4.67m 15ft 4"	

Oxford Canal (narrow)

Maximum craft dimensions

Braunston Junction to Wigrams (Napton Junction)

Length	Beam	Draught	Headroom
21.96m	72ft	3.84m 12ft 7"	1.5m 4ft 11"
			1.83m 6ft

Wigrams (Napton Junction) to Oxford (narrow)

Length	Beam	Draught	Headroom
21.96m	72ft	2.13m 7ft	1.23m 4ft
			1.98m 6ft 6"

Pinch point: second lock up

Braunston Junction to Hawkesbury Junction (Sutton Stop) (narrow)

Length	Beam	Draught	Headroom
21.96m	72ft	2.13m 7ft	1.40m 4ft 7"
			2.07m 6ft 9"

Peak Forest Canal (narrow)

Maximum craft dimensions

Length	Beam	Draught	Headroom
21.96m	72ft	2.13m 7ft	1.22m 4ft
			1.83m 6ft

Pocklington Canal

Maximum craft dimensions

Length	Beam	Draught	Headroom
17.37m	56ft 11"	4.3m 14ft 1"	1.22m 4ft
			2.34m 7ft 8"

Regents Canal

Length	Beam	Draught	Headroom
22.36m	73ft 4"	4.22m 13ft 10"	1.28m 4ft 2"
			2.64m 8ft 8"

Ribble Millennium Link

Maximum craft dimensions

Length	Beam	Draught	Headroom
18.8m	61.8ft	3.2m 10ft 6"	0.7m 2ft 3"
			2.5m 8ft 2"

Note: Boat size is recommended from channel widths rather than lock sizes, confirm with us **before** passage - Locks 7, 8 and 9 are tidal. The locks on the Ribble Link are for crafts 72' (21.94m) although the Rufford Branch is 62' (18.9m).

Ripon Canal

Maximum craft dimensions

Length	Beam	Draught	Headroom
17.37m	56ft 11"	4.3m 14ft 1"	1.01m 3ft 4"
			2.5m 8ft 2"

Rochdale Canal

Maximum craft dimensions

Length	Beam	Draught	Headroom
21.96m	72ft	2.91m 9ft 5"	1.19m 3ft 9"
			1.83m 6ft

Pinch point: Rodwell Tower 13'6" (4.14m)

River Severn

Maximum craft dimensions

Gloucester to Worcester

Length	Beam	Draught	Headroom
41.15m	135ft	6.4m 21ft	1.83m 6ft
			7.47m 24ft 6"

Note: Draft and headroom measured at low summer levels

Worcester to Stourport

Length	Beam	Draught	Headroom
27.4m	89ft 11"	5.7m 18ft 8"	1.83m 6ft
			6.1m 20ft

Note: Draft and headroom measured at low summer levels

Sheffield & South Yorkshire Navigation

Maximum craft dimensions

New Junction (West End) to Sheffield

Length	Beam	Draught	Headroom
61m	200ft 2"	6.1m 20ft	2.5m 8ft 2"
			3.05m 10ft 1"

Stainforth & Keadby Canal

Length	Beam	Draught	Headroom
18.8m	61ft 8"	5.2m 17ft 1"	2.22m 7ft 3"
			3.3m 10ft 10"

Note: Through passage is limited by Thorne Lock. For the Bramwith to Thorne section, dimensions are as for the main line to Rotherham. Passage from River Trent To Thorne is limited by Keadby Lock 23.67m x 6.86m (77ft 7" x 22ft 6") although longer craft can travel when the tide makes a level. Two narrowboats up to about 18.79m (61ft 8ins) can pass through Thorne Lock diagonally.

Sheffield and Tinsley

Length	Beam	Draught	Headroom
18.75m	61ft 6"	4.65m 15ft 3"	1.37m 4ft 5"
			2.8m 9ft 2"

Note: The cill and channel depth from Tinsley Bottom Lock to Sheffield Basin has a maximum draught of 1.22m (4ft).

Shropshire Union Canal

Maximum craft dimensions

Ellesmere Port to tail of Northgate Locks (Chester)

Length	Beam	Draught	Headroom
21.95m	72ft	2.95m 9ft 8"	1.1m 3ft 6"
			2.44m 8ft

Pinch point: Motorway bridge 9'8"(2.95m); Ellesmere Port and the Railway Bridge below Bunury at 73' 6"(22.43m)

Tail of Northgate locks to top of Bunbury Locks

Length	Beam	Draught	Headroom
21.95m	72ft	2.95m 9ft 8"	1.1m 3ft 6"
			2.44m 8ft

Bunbury to Nantwch

Length	Beam	Draught	Headroom
21.95m	72ft	2.95m 9ft 8"	1.14m 3ft 9"
			2.44m 8ft

Nantwch to Atherley Junction (narrow)

Length	Beam	Draught	Headroom
21.95m	72ft	2.13m 7ft	1.14m 3ft 9"
			2.44m 8ft

Middlewich Branch (narrow)

Length	Beam	Draught	Headroom
21.95m	72ft	2.13m 7ft	1.14m 3ft 9"
			2.34m 7ft 8"

River Soar

Maximum craft dimensions

Thurmaston Lock

Length	Beam	Draught	Headroom
	4.57m	15ft	

Blshop Meadow Lock

Length	Beam	Draught	Headroom
22.3m	73ft 2"		

Little Moorlane Arch Bridge

Length	Beam	Draught	Headroom
			2.28m 7ft 6"

Brick Lock

Length	Beam	Draught	Headroom
27.17m	89ft 2"	3.87m 12ft 8"	1.1m 3ft 7"
			1.95m 6ft 5"

Staffordshire & Worcestershire Canal (narrow)				Maximum craft dimensions
Stourport to Great Haywood				
Length	Beam	Draught	Headroom	
21.34m 70ft	2.13m 7ft	99m 3ft 3"	1.82m 6ft	
River Stort				Maximum craft dimensions
Length	Beam	Draught	Headroom	
26.8m 88ft	4.08m 13ft 4"		2.05m 6ft 9"	
Selby Canal				Maximum craft dimensions
Length	Beam	Draught	Headroom	
23.90m 78ft 5"	5m 16ft 5"	1.22m 4ft	2.44m 8ft	
Note: Burton Hall Bridge is the limiting dimension				
Stourbridge Canal (Inc.Stourbridge Town Arm) (narrow)				Maximum craft dimensions
Length	Beam	Draught	Headroom	
21.95m 72ft	2.13m 7ft	1.47m 4ft 10"	1.73m 5ft 8"	
Stratford-Upon-Avon Canal				Maximum craft dimensions
River Avon Into Stratford Basin				
Length	Beam	Draught	Headroom	
21.95m 72ft	4.57m 15ft			
Note: Height restrictions at bridge coming off River.				
Lapworth Basin to Bancroft Basin (narrow)				
Length	Beam	Draught	Headroom	
21.95m 72ft	2.13m 7ft	1.41m 4ft 7"	1.83m 6ft	
Pinch point: Bridges 44 and 47				
Lapworth to Kings Norton (Including Kingswood Branch) (narrow)				
Length	Beam	Draught	Headroom	
21.95m 72ft	2.13m 7ft	1m 3ft 3"	2.1m 6ft 11"	
Tees Navigation				Maximum craft dimensions
Length	Beam	Draught	Headroom	
22m 72ft 2"	6m 19ft 8"	3.15m 10ft 4"	5.5m 18ft	
Trent Navigation (Inc Beeston Cut & Nottingham Canal)				Maximum craft dimensions
Shardlow to tail of Meadow Lane Lock, Nottingham				
Length	Beam	Draught	Headroom	
24.3m 79ft 9"	4.62m 15ft 2"	1.22m 4ft	2.44m 8ft	
Note: Navigation includes Nottingham/Beeston Canal				
Meadow Lane Lock to Cromwell Lock Tall (Tidal)				
Length	Beam	Draught	Headroom	
42.6m 140ft	5.76m 18ft 9"	1.83m 6ft	3.96m 13ft	
Tail of Cromwell Lock (Tidal) to Gainsborough				
Length	Beam	Draught	Headroom	
45.4m 149ft	7.10m 23ft 3"	1.6m 5ft 3"	4.26m 14ft	
Trent & Mersey Canal				Maximum craft dimensions
Preston Brook to Croxton (narrow)				
Length	Beam	Draught	Headroom	
21.95m 72ft	2.13m 7ft	1.1m 3ft 7"	1.75m 5ft 9"	
Croxton to Wardle Junction (Middlewich Branch) (narrow)				
Length	Beam	Draught	Headroom	
21.95m 72ft	2.13m 7ft	1.1m 3ft 7"	1.75m 5ft 9"	
Wardle Junction to Trentham Lock (narrow)				
Length	Beam	Draught	Headroom	
21.95m 72ft	2.13m 7ft	1.1m 3ft 7"	1.75m 5ft 9"	
Trentham Lock to Great Haywood Junction (narrow)				
Length	Beam	Draught	Headroom	
21.95m 72ft	2.13m 7ft	1.1m 3ft 7"	1.75m 5ft 9"	
Great Haywood Junction to Horninglow Basin, Burton-on-Trent (narrow)				
Length	Beam	Draught	Headroom	
21.95m 72ft	2.13m 7ft	1.1m 3ft 7"	1.75m 5ft 9"	
Horninglow Basin to Shardlow				
Length	Beam	Draught	Headroom	
21.95m 72ft	4.27m 14ft		2.13m 7ft	
Horninglow Basin to Derwent Mouth Lock				
Length	Beam	Draught	Headroom	
21.95m 72ft	4.27m 14ft			
River Ure				Maximum craft dimensions
From Its Junction with the Ripon Canal to Swale Nab				
Length	Beam	Draught	Headroom	
17.37m 57ft	4.34m 14ft 3"	1.98m 6ft 6"	3.05m 10ft	
Weaver Navigation				Maximum craft dimensions
Weston Point Dock to Weston Marsh Lock				
Length	Beam	Draught	Headroom	
65m 213ft 3"	11m 36ft 1"	3.2m 10ft 6"	unlimited	
Weston Marsh Lock to Winnington				
Length	Beam	Draught	Headroom	
65m 213ft 3"	11.5m 37ft 9"	3.2m 10ft 6"	18m 59ft	
Winnington to Winsford				
Length	Beam	Draught	Headroom	
60m 196ft 10"	10.7m 35ft 1"	2.9m 9ft 6"	9m 29ft 6"	
River Witham Navigation				Maximum craft dimensions
Lincoln to Stamp End Lock				
Length	Beam	Draught	Headroom	
20.2m 66ft 3"	5.4m 17ft 8"	1.52m 5ft	2.74m 9ft	
Stamp End Lock to Boston Grand Sluice				
Length	Beam	Draught	Headroom	
20.7m 67ft 11"	5.3m 17ft 4"	1.52m 5ft	3.5m 11ft 6"	
Worcester & Birmingham Canal				Maximum craft dimensions
River Severn Into Diglles Basin only				
Length	Beam	Draught	Headroom	
21.95m 72ft	5.61m 18ft 5"	1.9m 6ft 3"	unlimited	

Gas Street to Digls (narrow)

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1m 3ft 3"	2.3m 7ft 6"