

The dimensions in this document are a rough guide only. Waterway levels can vary greatly depending on how much rain we've had or how dry it's been. Waterways marked as '(narrow)' are not suitable for boats with a beam greater than 2.13m (7ft).

## Alre & Calder Navigation Maximum craft dimensions

### Goole to tail of Leeds Lock

Length	Beam	Draught	Headroom
61m 200ft 2"	6.1m 20ft	2.5m 8ft 2"	3.6m 11ft 9"

Castleford Lock is limiting due to the curve of the lock chamber. Heck Road Bridge is now lower than Stubbs Bridge (investigations underway), which was previously limiting. A height of 3.6m (11ft 9") at Heck should be seen as maximum at the crown during normal water.

### Tail of Leeds Lock to tail of River Lock

Length	Beam	Draught	Headroom
19.8m 64ft 11"	5.4m 17ft 8"	2.3m 7ft 6"	3.6m 11ft 10"

Note 1: Pleasure craft dimensions showing small lock being limiting unless by previous arrangement to access full lock giving an extra 43m.

Note 2: Headroom at Crown Point Bridge at summer levels

### Wakefield Branch

Length	Beam	Draught	Headroom
21.4m 70ft 2"	5.4m 17ft 8"	2.3m 7ft 6"	3.88m 12ft 9"

Note 1: Broadreach Lock: Pleasure craft dimensions showing small lock being limiting unless by prior arrangement to access full lock giving an extra 43m.

Note 2: Heck Road Bridge: Still limiting due to constraints on other sections leading to the Wakefield branch. A height of 3.6m at Heck should be seen as maximum at the crown during normal water level.

### River Alre

Length	Beam	Draught	Headroom
23.92m 78ft 6"	5.03m 16ft 6"	1.22m 4ft	3.0m 9ft 10"

### From River Ouse Into Selby Basin only

Length	Beam	Draught	Headroom
23.92m 78ft 6"	5.69m 18ft 8"	Max 1.98m 6ft 6" depending on tide	

## Ashby Canal (narrow) Maximum craft dimensions

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1.7m 3ft 6"	1.98m 6ft 6"

## Ashton Canal (narrow) Maximum craft dimensions

Length	Beam	Draught	Headroom
21.79m 71ft 5"	2.13m 7ft	0.9m 3ft	1.82m 5ft 11"

## Birmingham Canal Navigations (narrow) Maximum craft dimensions

Length	Beam	Draught	Headroom
21.34m 70ft	2.13m 7ft	1.22m 4ft	1.98m 6ft 6"

Note: Headroom through Dudley Tunnel is considerably restricted, contact local office for further information. **Pinch point:** top of Camp Hill

## Birmingham & Fazeley Canal (narrow) Maximum craft dimensions

Length	Beam	Draught	Headroom
21.34m 70ft	2.13m 7ft	1.22m 4ft	1.91m 6ft 3"

## Bridgwater & Taunton Canal Maximum craft dimensions

Length	Beam	Draught	Headroom
15.24m 50ft	3.2m 10ft 6"	0.9m 2ft 11"	2.1m 6ft 10"

Note: Locks are 4.42m (14ft 6ins) wide; beam is restricted by bridges.

## Calder & Hebble Navigation Maximum craft dimensions

Length	Beam	Draught	Headroom
17.5m 57ft 5"	4.32m 14ft 2"	1.07m 3ft 6"	2.85m 9ft 4"

## Caldon Canal (narrow) Maximum craft dimensions

### Etruria Junction to Hazlehurst Junction

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1.2m 3ft 11"	1.78m 5ft 10"

### Hazlehurst Junction to Leek

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1.2m 3ft 11"	2.05m 6ft 9"

### Hazlehurst Junction to Froghall Tunnel

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1.2m 3ft 11"	2.05m 6ft 9"

Note: Headroom through Froghall Tunnel considerably restricted to 6ft 8ins (2.03m 6ft 8") beam and (1.52m 5ft) headroom.

**Pinch point:** Less than 7' (2.13m) at Consal Forge Railway Bridge (landslip)

**Tunnel:** 7' beam is acceptable, the issue is tumblehome and height

## Chesterfield Canal (narrow) Maximum craft dimensions

### River Trent Into West Stockwith Basin only

Length	Beam	Draught	Headroom
21.95m 72ft	5.33m 17ft 6"	2.44m 8ft	unlimited

Note: Whitsunday Pie Lock walls taper towards the lock floor and you need to take this into account when navigating this canal. Measurements within stoppages are being taken this winter to determine the dimensions of known pinch points.

### West Stockwith Basin to tail of Morse Lock (narrow)

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	0.98m 3ft 2"	2.15m 7ft 1"

Note: Locks up to Retford are 4.57m (15ft) wide but Navigation for broad beam craft is restricted due to the width 2.59m (8ft 6in) at Manor Farm Bridge, Walkeringham.

### Tail of Morse Lock to Shireoaks (narrow)

Length	Beam	Draught	Headroom
21.95m 72ft	2.08m 6ft 10"		2.15m 7ft 1"

Note: Some locks are only just 2.13m (7ft) wide and passage for some craft up to 7ft beam may be possible.

## Coventry Canal (narrow) Maximum craft dimensions

Length	Beam	Draught	Headroom
21.34m 70ft	2.13m 7ft	1.4m 4ft 7"	1.7m 5ft 7"

#### Droitwich Canal Maximum craft dimensions

##### \*Hawford Junction to Bridge 15

Length	Beam	Draught	Headroom
18.59m 61ft	4.20m 13' 09"		

##### \*Hawford Junction to Bridge 15 (narrow)

Length	Beam	Draught	Headroom
21.80m 71ft 06"	2.13m 7'		

##### Bridge 15 to Barge Lock (narrow)

Length	Beam	Draught	Headroom
21.80m 71ft 06"	2.13m 7'		

##### River Salwarpe Barge Lock to Junction Lock 7 (narrow)

Length	Beam	Draught	Headroom
21.80m 71ft 06"	2.13m 7'		

##### Droitwich Junction Canal River Salwarpe to Hanbury Junction Lock 7 (narrow)

Length	Beam	Draught	Headroom
21.80m 71ft 06"	2.13m 7'		

\*Narrow beam boats will fit up to the longer length shown. **Pinch points:** M5 and the top lock.

#### Erewash Canal Maximum craft dimensions

Length	Beam	Draught	Headroom
24.5m 80ft 4"	4.1m 13ft 5"	1.22m 4ft	2.23m 7ft 4"

Note 1: Beam is limited by low arched bridges; wider beam up to about 13ft may be possible depending on the headroom needed

Note 2: Locks are more than 4.27m (14ft) wide and will therefore take two narrowboats.

#### Fosdyke Navigation Maximum craft dimensions

Length	Beam	Draught	Headroom
21.3m 70ft	4.64m 15ft 2"	1.52m 4ft 11"	3.43m 11ft 3"

#### Gloucester & Sharpness Canal Maximum craft dimensions

##### River Severn Into Sharpness Docks only

Length	Beam	Draught	Headroom
91.44m 300ft	16.76m 55ft		

##### Sharpness Docks to Gloucester Docks

Length	Beam	Draught	Headroom
64m 210ft	9.6m 31ft 5"	3.5m 11ft 6"	32m 105ft

Note 1: Parkend Bridge/Fretherne \*At 3.5m draught. The main constraint is the approach to each bridge at a specified depth. Harbour master to advise.

Note 2: 64m limitation due to bends in Canal. See advise from harbour master for longer vessels.

##### Gloucester Docks to River Severn through Gloucester Lock

Length	Beam	Draught	Headroom
41.15m 135ft	6.4m 21ft	1.83m 6ft	7.5m 24ft 7"

#### Grand Union Canal Maximum craft dimensions

##### River Thames Into Limehouse Basin only

Length	Beam	Draught	Headroom
28m 91ft 10"	7.5m 24ft 7"		

##### River Thames Into Brentford Basin only

Length	Beam	Draught	Headroom
22.87m 75ft	5.02m 16ft 5"		

Note: Duplicated locks; one lock is larger than the other.

#### Paddington Arm (Grand Union Canal)

##### Bulls Bridge to Little Venice (no locks)

Length	Beam	Draught	Headroom
	4.3m 14ft 1"		2.08m 6ft 9"

#### Grand Union Canal (Main Line) Maximum craft dimensions

##### Brentford to Bulls Bridge

Length	Beam	Draught	Headroom
22.2m 72ft 10"	4.26m 14ft	1.48m 4ft 10"	2.88m 9ft 5"

##### Bulls Bridge to Lock 82 (Stokers Lock) Rickmansworth

Length	Beam	Draught	Headroom
21.95m 72ft	4.26m 14ft	1.03m 3ft 4"	2.34m 3ft 4"

##### Lock 82 (Stokers Lock) Rickmansworth to Berkhamsted

Length	Beam	Draught	Headroom
21.95m 72ft	4.27m 14ft	1.23m 4ft	2.28m 7ft 6"

##### Berkhamsted to Long Buckby

Length	Beam	Draught	Headroom
21.95m 72ft	3.81m 12ft 6"	1.14m 3ft 9"	2.28m 7ft 6"

Pinch point 14' Lock S Leighton Buzzard

##### Long Buckby to Camp Hill Locks

Length	Beam	Draught	Headroom
21.94m 72ft	3.81m 12ft 6"	1.11m 3ft 8"	1.90m 6ft 3"

##### Camp Hill Locks to Dlgbeth and Salford

Length	Beam	Draught	Headroom
21.69m 71ft 2"	2.23m 2ft 6"	1.17m 3ft 10"	2.44m 8ft

#### Slough Arm (no locks)

Length	Beam	Draught	Headroom
	4.92m 16ft 2"		2.33m 7ft 7"

#### Wendover Arm (narrow)

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft		

#### Aylesbury Arm (narrow)

Length	Beam	Draught	Headroom
22.57m 74ft	2.13m 7ft	1.29m 4ft 3"	2.28m 7ft 6"

#### Northampton Arm (narrow)

Length	Beam	Draught	Headroom
22.57m 74ft	2.13m 7ft	1.23m 4ft	2.18m 7ft 1"

#### Lelcester Line (Grand Union Canal) Maximum craft dimensions

**Norton Junction to Foxton (narrow)**

Length	Beam	Draught	Headroom
21.94m 72ft	2.13m 7ft	1.17m 3ft 10"	2.28m 7ft 6"

**Foxton to Kings Lock**

Length	Beam	Draught	Headroom
21.94m 72ft	3.05m 10ft	1m 3ft 3"	2.13m 7ft

**Kings Lock to Leicester**

Length	Beam	Draught	Headroom
24.1m 79ft	4.5m 14ft 9"	1.35m 4ft 5"	2.13m 7ft

**Welford Arm (narrow)**

Length	Beam	Draught	Headroom
21.94m 72ft	2.13m 7ft		

**Market Harborough Arm**

Length	Beam	Draught	Headroom
21.95m 72ft	2.9m 9ft 6"	1.23m 4ft	2.28m 7ft 6"

**Hertford Union Canal**

Maximum craft dimensions

Length	Beam	Draught	Headroom
26m 85ft 3"	4.45m 14ft 7"	1.3m 4ft 3"	2.33m 7ft 7"

**Huddersfield Broad Canal**

Maximum craft dimensions

Length	Beam	Draught	Headroom
17.55m 57ft 6"	4.22m 13ft 9"	1.40m 4ft 7"	2.5m 8ft 2"

**Huddersfield Narrow Canal (narrow)**

Maximum craft dimensions

Length	Beam	Draught	Headroom
21.35m 70ft	2.08m 6ft 10"	1.05m 3ft 5"	1.88m 6ft 2"

*2.133m 7' beam up to Lock 21W***Aspley Basin to Standedge Tunnel (narrow)**

Length	Beam	Draught	Headroom
21.95m 72ft	2.08m 6ft 10"	0.75m 2ft 5"	1.88m 6ft 2"

Note: The height restriction tallies with that of Standedge Tunnel, and the restriction applies before HNC at Lock 1.

**Kennet & Avon Canal**

Maximum craft dimensions

**Hanham Lock to Bridge 194 (Bath)**

Length	Beam	Draught	Headroom
22.55m 74ft	4.88m 16ft	1.30m 4ft 3"	2.67m 8ft 10"

**Bridge 194 - Blakes Lock (Reading)**

Length	Beam	Draught	Headroom
21.95m 72ft	4m 13ft 1"	1.1m 3ft 7"	2.4m 7ft 10"

**Lancaster Canal**

Maximum craft dimensions

**Main Line**

Length	Beam	Draught	Headroom
22m 72ft 2"	4.3m 14ft	0.9m 3ft	2.5m 8ft 2"

Height at Ashton Basin = 2m/6ft 7"

No navigable locks on the Lancaster, just the Ribble Link and Glasson Branch

**Glasson Branch**

Length	Beam	Draught	Headroom
22.3m 73ft 1"	4.3m 14ft 1"	1.3m 4ft 3"	2.5m 8ft 2"

**Llangollen Canal (narrow)**

Length	Beam	Draught	Headroom
21.95m 72ft	2.08m 6ft 10"	0.70m 2ft 3"	2.13m 7ft

**Pinch point:** Hurlleston**River Dee Branch**

Length	Beam	Draught	Headroom
21.95m 72ft	4.3m 14ft 1"	1.37m 4ft 6"	2.34m 7ft 8"

**Lee Navigation**

Maximum craft dimensions

**Below Old Ford Locks (entering from Limehouse)**

Length	Beam	Draught	Headroom
28.8m 94ft 6"	7.8m 25ft 7"	3.5m 11ft 6"	2.6m 8ft 6"

**Below Old Ford Locks (entering from Bow)**

Length	Beam	Draught	Headroom
29.8m 97ft 9"	5.88m 19ft 3"	3m 9ft 11"	2.6m 8ft 6"

**Old Ford Locks to Ponders End**

Length	Beam	Draught	Headroom
25.8m 84ft 7"	5.49m 17ft 8"	2.7m 8ft 10"	2.3m 7ft 6"

**Ponders End to Hertford**

Length	Beam	Draught	Headroom
27.8m 91ft 2"	4.7m 15ft 5"	1.6m 5ft 3"	2.18m 7ft 1"

**Leeds & Liverpool Canal**

Maximum craft dimensions

**Greenberfield Locks to Leeds**

Length	Beam	Draught	Headroom
19.40m 63ft 6"	4.3m 14ft 1"	1.15m 3ft 8"	2.15m 7ft

Note: 19.40m limiting length relates to the east although generally the max length boat on the L&amp;L is 18.90m (62ft)

**Liverpool to Leigh Branch**

Length	Beam	Draught	Headroom
22m 72ft 2"	4.4m 14ft 5"	1.22m 4ft	2.4m 7ft 9"

**Leigh Branch to Greenberfield**

Length	Beam	Draught	Headroom
19m 62ft 4"	4.5m 14ft 9"	1.14m 3ft 9"	2.28m 7ft 6"

Note: Limiting height is Foulridge Tunnel

**Leigh Branch**

Length	Beam	Draught	Headroom
21.95m 72ft	4.6m 15ft 1"	1.2m 3ft 11"	2.3m 7ft 6"

**Rufford Branch**

Length	Beam	Draught	Headroom
18.89m 62ft	4.3m 14ft 1"	1.1m 3ft 7"	2.3m 7ft 6"

**Macclesfield Canal (narrow)**

Maximum craft dimensions

Length	Beam	Draught	Headroom
--------	------	---------	----------

21.95m 72ft                      2.13m 7ft                      1.07m 3ft 6"                      2.08m 6ft 10"

**Monmouthshire & Brecon Canal** Maximum craft dimensions

Length	Beam	Draught	Headroom
16.76m 55ft	2.59m 8ft 5"	0.75m 2.46ft	1.80m 5ft 9"

Note: Ashford Tunnel limits cabin profile, eg 1.7m (5ft 7ins) height at 2.1m (6ft 10ins) width. Contact local office for further detail.

**Montgomery Canal (narrow)** Maximum craft dimensions

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1.2m 3ft 11"	1.83m 6ft

**River Ouse (Yorkshire)** Maximum craft dimensions

Length	Beam	Draught	Headroom
17.5m 57ft 4"	4.66m 15ft 2"	Tidal	5.94m (19ft 5") Naburn Bridge

Note: Depths are in all cases depends on River/tidal conditions.

**Naburn Locks to York**

Length	Beam	Draught	Headroom
42.62m 140ft	7.31m 24ft		

**York to Swale NAB**

Length	Beam	Draught	Headroom
18.28m 59ft 11"	4.67m 15ft 4"		

**Oxford Canal (narrow)** Maximum craft dimensions

**Braunston Junction to Wigrams (Napton Junction)**

Length	Beam	Draught	Headroom
21.96m 72ft	3.84m 12ft 7"	1.5m 4ft 11"	1.83m 6ft

**Wigrams (Napton Junction) to Oxford (narrow)**

Length	Beam	Draught	Headroom
21.96m 72ft	2.13m 7ft	1.23m 4ft	1.98m 6ft 6"

**Pinch point:** second lock up

**Braunston Junction to Hawkesbury Junction (Sutton Stop) (narrow)**

Length	Beam	Draught	Headroom
21.96m 72ft	2.13m 7ft	1.09m 3ft 7"	2.07m 6ft 9"

**Peak Forest Canal (narrow)** Maximum craft dimensions

Length	Beam	Draught	Headroom
21.96m 72ft	2.13m 7ft	1.22m 4ft	1.83m 6ft

**Pocklington Canal** Maximum craft dimensions

Length	Beam	Draught	Headroom
17.37m 56ft 11"	4.3m 14ft 1"	1.22m 4ft	2.34m 7ft 8"

**Regents Canal**

Length	Beam	Draught	Headroom
22.36m 73ft 4"	4.22m 13ft 10"	1.28m 4ft 2"	2.64m 8ft 8"

**Ribble Millennium Link** Maximum craft dimensions

Length	Beam	Draught	Headroom
18.8m 62ft	2.28m 7ft 6"	0.7m 2ft 4"	2.43m 8ft

Note: Boat size is recommended from channel widths rather than lock sizes, confirm with us **before** passage - Locks 7, 8 and 9 are tidal.

The locks on the Ribble Link are for crafts 72' (21.94m) although the Rufford Branch is 62' (18.9m).

**Ripon Canal** Maximum craft dimensions

Length	Beam	Draught	Headroom
17.37m 56ft 11"	4.3m 14ft 1"	1.01m 3ft 4"	2.43m 8ft

**Rochdale Canal** Maximum craft dimensions

Length	Beam	Draught	Headroom
21.96m 72ft	2.91m 9ft 5"	1.19m 3ft 9"	1.83m 6ft

**Pinch point:** Rodwell Tower 13'6" (4.14m)

**River Severn** Maximum craft dimensions

**Gloucester to Worcester**

Length	Beam	Draught	Headroom
41.15m 135ft	6.4m 21ft	1.83m 6ft	7.47m 24ft 6"

Note: Draft and headroom measured at low summer levels

**Worcester to Stourport**

Length	Beam	Draught	Headroom
27.4m 89ft 11"	5.7m 18ft 8"	1.83m 6ft	6.1m 20ft

Note: Draft and headroom measured at low summer levels

**Sheffield & South Yorkshire Navigation** Maximum craft dimensions

**New Junction (West End) to Sheffield**

Length	Beam	Draught	Headroom
61m 200ft 2"	6.1m 20ft	2.5m 8ft 2"	3.05m 10ft 1"

**Stainforth & Keadby Canal**

Length	Beam	Draught	Headroom
18.8m 61ft 8"	5.2m 17ft 1"	2.22m 7ft 3"	3.3m 10ft 10"

Note: Through passage is limited by Thorne Lock. For the Bramwith to Thorne section, dimensions are as for the main line to Rotherham. Passage from River Trent To Thorne is limited by Keadby Lock 23.67m x 6.86m (77ft 7" x 22ft 6") although longer craft can travel when the tide makes a level. Two narrowboats up to about 18.79m (61ft 8ins) can pass through Thorne Lock diagonally.

**River Soar**

From the junction with the River Trent to Leicester

Length	Beam	Draught	Headroom
21.34m 70ft	4.37m 14ft 4"	1.14m 3ft 9"	2.13m 7ft

**Sheffield and Tinsley**

Length	Beam	Draught	Headroom
18.75m 61ft 6"	4.65m 15ft 3"	1.37m 4ft 5"	2.8m 9ft 2"

Note: The cill and channel depth from Tinsley Bottom Lock to Sheffield Basin has a maximum draught of 1.22m (4ft).

**Shropshire Union Canal** Maximum craft dimensions

**Ellesmere Port to tall of Northgate Locks (Chester)**

Length	Beam	Draught	Headroom
21.95m 72ft	2.95m 9ft 8"	1.1m 3ft 6"	2.44m 8ft

**Pinch point:** Motorway bridge 98'(2.95m): Ellesmere Port and the Railway Bridge below Bunbury at 73'6"(22.43m)

**Tail of Northgate locks to top of Bunbury Locks**

Length	Beam	Draught	Headroom
21.95m 72ft	2.95m 9ft 8"	1.1m 3ft 6"	2.44m 8ft

**Bunbury to Nantwich**

Length	Beam	Draught	Headroom
21.95m 72ft	2.95m 9ft 8"	1.14m 3ft 9"	2.44m 8ft

**Nantwich to Autherley Junction (narrow)**

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1.14m 3ft 9"	2.44m 8ft

**Middlewich Branch (narrow)**

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1.14m 3ft 9"	2.34m 7ft 8"

**Staffordshire & Worcestershire Canal (narrow)**

Maximum craft dimensions

**Stourport to Great Haywood**

Length	Beam	Draught	Headroom
21.34m 70ft	2.13m 7ft	0.99m 3ft 3"	1.82m 6ft

**River Stort**

Maximum craft dimensions

Length	Beam	Draught	Headroom
21.95m 72ft	3.25m 10ft 8"	0.90m 2ft 11"	2.11m 6ft 11"

**Selby Canal**

Maximum craft dimensions

Length	Beam	Draught	Headroom
23.90m 78ft 5"	5m 16ft 5"	1.22m 4ft	2.44m 8ft

Note: Burton Hall Bridge is the limiting dimension

**Stourbridge Canal (Inc.Stourbridge Town Arm) (narrow)**

Maximum craft dimensions

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1.47m 4ft 10"	1.73m 5ft 8"

**Stratford-Upon-Avon Canal**

Maximum craft dimensions

**River Avon Into Stratford Basin**

Length	Beam	Draught	Headroom
21.95m 72ft	4.57m 15ft		

Note: Height restrictions at bridge coming off River.

**Lapworth Basin to Bancroft Basin (narrow)**

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1.41m 4ft 7"	1.83m 6ft

**Pinch point:** Bridges 44 and 47

**Lapworth to Kings Norton (Including Kingswood Branch) (narrow)**

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1m 3ft 3"	2.1m 6ft 11"

**Tees Navigation**

Maximum craft dimensions

Length	Beam	Draught	Headroom
22m 72ft 2"	6m 19ft 8"	3.15m 10ft 4"	5.5m 18ft

**Trent Navigation (Inc Beeston Cut & Nottingham Canal)**

Maximum craft dimensions

**Shardlow to tail of Meadow Lane Lock, Nottingham**

Length	Beam	Draught	Headroom
24.3m 79ft 9"	4.62m 15ft 2"	1.22m 4ft	2.44m 8ft

Note: Navigation includes Nottingham/Beeston Canal

**Meadow Lane Lock to Cromwell Lock Tall (Tidal)**

Length	Beam	Draught	Headroom
51.3m 168ft 4"	6.09m 20ft	1.83m 6ft	3.81m 12ft 6"

**Tail of Cromwell Lock (Tidal) to Gainsborough**

Length	Beam	Draught	Headroom
56.4m 185ft	5.8m 19ft	1.6m 5ft 3"	

**Trent & Mersey Canal**

Maximum craft dimensions

**Preston Brook to Croxton**

Length	Beam	Draught	Headroom
21.95m 72ft	2.74m 9ft	1.1m 3ft 7"	1.75m 5ft 9"

**Croxton to Wardle Junction (Middlewich Branch) (narrow)**

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1.1m 3ft 7"	1.75m 5ft 9"

**Wardle Junction to Trentham Lock (narrow)**

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1.1m 3ft 7"	1.75m 5ft 9"

**Trentham Lock to Great Haywood Junction (narrow)**

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1.1m 3ft 7"	1.75m 5ft 9"

**Great Haywood Junction to Horninglow Basin, Burton-on-Trent (narrow)**

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1.1m 3ft 7"	1.75m 5ft 9"

**Horninglow Basin to Shardlow**

Length	Beam	Draught	Headroom
21.95m 72ft	4.27m 14ft		2.13m 7ft

**Horninglow Basin to Derwent Mouth Lock**

Length	Beam	Draught	Headroom
21.95m 72ft	4.27m 14ft		

**River Ure**

Maximum craft dimensions

**From Its Junction with the Ripon Canal to Swale Nab**

Length	Beam	Draught	Headroom
17.37m 57ft	4.34m 14ft 3"	1.98m 6ft 6"	3.05m 10ft

**Weaver Navigation**

Maximum craft dimensions

**Weston Point Dock to Weston Marsh Lock**

Length	Beam	Draught	Headroom
65m 213ft 3"	11m 36ft 1"	3.2m 10ft 6"	unlimited

**Weston Marsh Lock to Wlnnington**

Length	Beam	Draught	Headroom
65m 213ft 3"	11.5m 37ft 9"	3.2m 10ft 6"	18m 59ft

**Winnington to Winsford**

Length	Beam	Draught	Headroom
60m 196ft 10"	10.7m 35ft 1"	2.9m 9ft 6"	9m 29ft 6"

**River Witham Navigation**

Maximum craft dimensions

**Lincoln to Stamp End Lock**

Length	Beam	Draught	Headroom
20.2m 66ft 3"	5.4m 17ft 8"	1.52m 5ft	2.74m 9ft

**Stamp End Lock to Boston Grand Sluice**

Length	Beam	Draught	Headroom
20.7m 67ft 11"	5.3m 17ft 4"	1.52m 5ft	3.5m 11ft 6"

**Worcester & Birmingham Canal**

Maximum craft dimensions

**River Severn Into Diglils Basin only**

Length	Beam	Draught	Headroom
21.95m 72ft	5.61m 18ft 5"	1.9m 6ft 3"	unlimited

**Gas Street to Diglils (narrow)**

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1m 3ft 3"	2.3m 7ft 6"

Last amended February 2021