

**AIRE & CALDER NAVIGATION** **Maximum craft dimensions****Goole to tail of Leeds Lock**

Length	Beam	Draught	Headroom
61m 200ft 2"	6.1m 20ft	2.5m 8ft 2"	3.6m 11ft 9"

Castleford Lock is limiting due to the curvature of the lock chamber.

Heck Road Bridge is now lower than Stubbs Bridge (investigations underway), which was previously limiting. A height of 3.6m (11ft 9") at Heck should be seen as maximum at the crown during normal water.

**Tail of Leeds Lock to tail of River Lock**

Length	Beam	Draught	Headroom
19.8m 64ft 11"	5.4m 17ft 8"	2.3m 7ft 6"	3.6m 11ft 10"

Note 1: Pleasure craft dimensions showing small lock being limiting unless by prior arrangement to access full lock giving an extra 43m.

Note 2: Headroom at Crown Point Bridge at summer levels

**Wakefield Branch**

Length	Beam	Draught	Headroom
21.4m 70ft 2"	5.4m 17ft 8"	2.3m 7ft 6"	3.88m 12ft 9"

Note 1: Broadreach Lock: Pleasure craft dimensions showing small lock being limiting unless by prior arrangement to access full lock giving an extra 43m.

Note 2: Heck Road Bridge: still limiting due to constraints on other sections leading to the Wakefield branch. A height of 3.6m at Heck should be seen as maximum at the crown during normal water level.

**River Aire**

Length	Beam	Draught	Headroom
23.92m 78ft 6"	5.03m 16ft 6"	1.22m 4ft	3.0m 9ft 10"

**From River Ouse into Selby Basin only**

Length	Beam	Draught	Headroom
23.92m 78ft 6"	5.49m 18ft 8"	Max 2m 6ft 6" depending on tide	

**ASHBY CANAL** **Maximum craft dimensions**

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	0.9m 3ft	1.98m 6ft 6"

**ASHTON CANAL** **Maximum craft dimensions**

Length	Beam	Draught	Headroom
21.79m 72ft	2.13m 7ft	0.9m 3ft	1.82m 5ft 11"

**BIRMINGHAM CANAL NAVIGATIONS** **Maximum craft dimensions**  
(incl Birmingham & Fazeley Canal)

Length	Beam	Draught	Headroom
21.34m 72ft	2.1m 7ft	1.22m 4ft	1.98m 6ft 6"

Note: Headroom on Birmingham & Fazeley Canal limited to 1.91m (6ft 3ins) at Caters Bridge. Headroom through Dudley Tunnel is considerably restricted, contact Waterway Office for further information. PINCH POINT top of Camp Hill

**BRIDGWATER & TAUNTON CANAL** **Maximum craft dimensions**

Length	Beam	Draught	Headroom
15.24m 50ft	3.2m 10ft 6"	0.9m 2ft 11"	2.1m 6ft 10"

Note: Locks are 4.42m (14ft 6ins) wide; beam is restricted by bridges.

**CALDER & HEBBLE NAVIGATION** **Maximum craft dimensions**

Length	Beam	Draught	Headroom
17.5m 57ft 6"	4.32m 14ft 2"	1.07m 3ft 6"	2.85m 9ft 4"

Note: Mill Bank - Locks from Wakefield to Broadcut were lengthened to 120ft (36.5m) but the extra set of gates are no longer operable. The cill depth can be increased between Greenwood and Fallings Locks to 1.75m (5ft 9")

**CALDON CANAL** **Maximum craft dimensions****Etruria Junction to Hazlehurst Junction**

Length	Beam	Draught	Headroom
21.95m 72ft	2.132m 7ft	1.2m 3ft 11"	1.78m 5ft 10"

**Hazlehurst Junction to Leek**

Length	Beam	Draught	Headroom
21.95m 72ft	2.132m 7ft	1.2m 3ft 11"	2.05m 6ft 9"

**Hazlehurst Junction to Froghall Tunnel**

Length	Beam	Draught	Headroom
21.95m 72ft	2.132m 7ft	1.2m 3ft 11"	2.05m 6ft 9"

Note: Headroom through Froghall Tunnel considerably restricted to 6ft 8ins (2.03m 6ft 8") beam and 5ft (1.52m 5ft) headroom.

PINCH POINTS Less than 7' (2.123m) at Consal Forge Railway Bridge (landslip)

TUNNEL: 7' beam is acceptable the issue is tumblehome and height.

**CHESTERFIELD CANAL** **Maximum craft dimensions****River Trent into West Stockwith Basin only**

Length	Beam	Draught	Headroom
21.95m 72ft	5.33m 17ft 6"	2.44m 8ft	unlimited

Note: Whitsunday Pie Lock Lock walls taper towards the lock floor and this should be taken into account when navigating this canal. Measurements within stoppages are being taken this winter to determine the dimensions of known pinch points.

**West Stockwith Basin to tail of Morse Lock**

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	0.98m 3ft 2"	2.15m 7ft 1"

Note: Locks up to Retford are 4.57m (15ft) wide but navigation for broad beam craft is restricted due to the width 2.59m (8ft 6in) at Manor Farm Bridge, Walkeringham.

**Tail of Morse Lock to Shireoaks**

Length	Beam	Draught	Headroom
21.95m 72ft	2.08m 6ft 10"		2.15m 7ft 1"

Note: Some locks are only just 2.13m (7ft) wide and passage for some craft up to 7ft beam may be possible.

**COVENTRY CANAL** **Maximum craft dimensions**

Length	Beam	Draught	Headroom
21.34m 72ft	2.1m 7ft	1.4m 4ft 7"	1.7m 5ft 7"

**DROITWICH CANAL** **Maximum craft dimensions****\*Hawford Junction to Bridge 15(wide)**

Length	Beam	Draught	Headroom
18.59m 61'	4.20m 13' 09"		

**\*Hawford Junction to Bridge 15 (narrow)**

Length	Beam	Draught	Headroom
21.80m 71'06"	2.13m 7'		

**Bridge 15 to Barge Lock**

Length	Beam	Draught	Headroom
21.80m 71'06"	2.13m 7'		

**River Salwarpe Barge Lock to Junction Lock 7**

Length	Beam	Draught	Headroom
21.80m 71'06"	2.13m 7'		

**Droitwich Junction Canal River Salwarpe to Hanbury Junction Lock 7**

Length	Beam	Draught	Headroom
21.80m 71'06"	2.13m 7'		

\*Narrow beam boats will fit up to the longer length shown. PINCH POINTS M5 and the top lock.

**EREWASH CANAL** **Maximum craft dimensions**

Length	Beam	Draught	Headroom
24.5m 80ft 4"	4.1m 13ft 5"	1.22m 4ft	2.23m 7ft 4"

Note 1: Beam is limited by low arched bridges; wider beam up to about 13ft may be possible depending on the headroom required.

Note 2: Locks are more than 4.27m (14ft) wide and will therefore take 2 narrowboats.

**FOSSDYKE NAVIGATION** **Maximum craft dimensions**

Length	Beam	Draught	Headroom
21.4m 72ft	4.64m 15ft 2"	1.52m 4ft 11"	3.43m 11ft 3"

**GLOUCESTER & SHARPNESS CANAL** **Maximum craft dimensions****River Severn into Sharpness Docks only**

Length	Beam	Draught	Headroom
91.44m 300ft	16.76m 55ft		

**Sharpness Docks to Gloucester Docks**

Length	Beam	Draught	Headroom
64m 210ft	9.6m 31ft 5"	3.5m 11ft 6"	32m 105ft

Note 1: Parkend Bridge/Fretherne \*At 3.5m draught. The main constraint is the approach to each bridge at a specified depth. Harbour master to advise.

Note 2: 64m limitation due to bends in canal. See advise from Harbour Master for longer vessels.

**Gloucester Docks to River Severn through Gloucester Lock**

Length	Beam	Draught	Headroom
41.15m 135ft	6.4m 21ft	1.83m 6ft	7.5m 24ft 7"

**GRAND UNION CANAL** **Maximum craft dimensions****River Thames into Limehouse Basin only**

Length	Beam	Draught	Headroom
28m 91ft 10"	7.5m 24ft 7"		

**Regents Canal**

Length	Beam	Draught	Headroom
22.36m 73ft 4"	4.22m 13ft 9"	1.28m 4ft 2"	2.64m 8ft 8"

**Hertford Union Canal**

Length	Beam	Draught	Headroom
26m 85ft 3"	4.45m 14ft 7"	1.3m 4ft 3"	2.33m 7ft 7"

**River Thames into Brentford Basin only**

Length	Beam	Draught	Headroom
22.87m 75ft	5.02m 16ft 5"		

Note: Duplicated locks; one lock is larger than the other.

**Lock 82 Rickmansworth to Berkhamsted**

Length	Beam	Draught	Headroom
24.1m 85ft 4"	4.27m 14ft	1.23m 4ft	2.28m 7ft 6"

**Berkhamsted to Norton Junction**

Length	Beam	Draught	Headroom
24.1m 85ft 4"	3.78m 12ft 5"	1.23m 4ft	2.28m 7ft 6"

PINCH POINT 14' Lock S Leighton Buzzard

**Aylesbury Arm**

Length	Beam	Draught	Headroom
22.57m 74ft	2.14m 7ft	1.29m 4ft 3"	2.28m 7ft 6"

**Northampton Arm**

Length	Beam	Draught	Headroom

22.57m 74ft                    2.14m 7ft                    1.23m 4ft                    2.18m 7ft 1"

**Bulls Bridge to Little Venice (no locks)**

Length	Beam	Draught	Headroom
	4.3m 14ft 1"		2.08m 6ft 9"

**Brentford to Bulls Bridge**

Length	Beam	Draught	Headroom
22.2m 72ft 10"	4.26m 14ft	1.48m 4ft 10"	2.88m 9ft 5"

**Bulls Bridge to Stockers Lock**

Length	Beam	Draught	Headroom
21.75m 71ft 4"	4.26m 14ft	1.03m 3ft 4"	2.34m 3ft 4"

**Wigrams to Camp Hill**

Length	Beam	Draught	Headroom
21.95m 72ft	3.78m 12ft 5"	1.21m 4ft	1.90m 6ft 3"

**Slough Arm (no locks)**

Length	Beam	Draught	Headroom
	5.06m 16ft 2"		2.33m 7ft 7"

**Wendover Arm**

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft		

**GRAND UNION - LEICESTER LINE**

**Maximum craft dimensions**

**Norton Junction to Foxton**

Length	Beam	Draught	Headroom
21.96m 72ft	2.14m 7ft	1.17m	2.52m 7ft 6"

**Foxton to Kings Lock**

Length	Beam	Draught	Headroom
21.96m 72ft	4.27m 14ft	1.35m 4ft 5"	2.13m 7ft

**Welford Arm**

Length	Beam	Draught	Headroom
21.96m 72ft	2.14m 7ft		

**Kings Lock to Leicester**

Length	Beam	Draught	Headroom
24.1m 85ft 4"	4.5m 14ft 9"	1.35m 4ft 5"	2.13m 7ft

**Market Harborough Arm**

Length	Beam	Draught	Headroom
21.96m 72ft	3.66m 12ft	1.23m 4ft	2.28m 7ft 6"

**HUDDERSFIELD BROAD CANAL**

**Maximum craft dimensions**

Length	Beam	Draught	Headroom
17.55m 57ft 6"	4.22m 13ft 9"	1.40m 4ft 7"	2.5m 8ft 2"

**HUDDERSFIELD NARROW CANAL**

**Maximum craft dimensions**

**Standedge Tunnel to Portland Basin**

Length	Beam	Draught	Headroom
21.35m 94ft	2.08m 6ft 10"	1.05m 3ft 5"	1.88m 6ft 2"
2.133m 7" beam up to Lock 21W			

**Aspley Basin to Standedge Tunnel**

Length	Beam	Draught	Headroom
21.95m 72ft	2.08m 6ft 10"	0.75m 246ft	1.88m 6ft 2"

*Note: The height restriction tallies with that of Standedge Tunnel, and the restriction applies prior to HNC at Lock 1.*

**KENNET & AVON CANAL**

**Maximum craft dimensions**

**Hanham Lock to Bridge 194 (Bath)**

Length	Beam	Draught	Headroom
22.55m 74ft	4.88m 16ft	1.30m 4ft 3"	2.67m 8ft 10"

**Bridge 194 - Blakes Lock (Reading)**

Length	Beam	Draught	Headroom
21.95m 72ft	4m 13ft 1"	1.1m 3ft 7"	2.4m

**LANCASTER CANAL**

**Maximum craft dimensions**

**Main Line**

Length	Beam	Draught	Headroom
21.95m 72ft	4.5m 14ft 9"	1m 3ft 3"	2.3m 7ft 6"

*No navigable locks on the Lancaster, just the Ribble Link and Glasson Branch*

**Glasson Branch**

Length	Beam	Draught	Headroom
22m 72ft 2"	4.5m 14ft 9"	1.3m 4ft 3"	2.45m 7ft 4"

**RIVER LEE**

**Maximum craft dimensions**

**Below Old Ford Locks (entering from Limehouse)**

Length	Beam	Draught	Headroom
28.8m 94ft 6"	7.8m 25ft 7"	3.5m 11ft 6"	2.6m 8ft 6"

**Below Old Ford Locks (entering from Bow)**

Length	Beam	Draught	Headroom
29.8m 97ft 9"	5.88m 19ft 3"	3m 9ft 11"	2.6m 8ft 6"

**Old Ford Locks to Ponders End**

Length	Beam	Draught	Headroom
25.8m 9ft 2"	5.49m 17ft 8"	2.7m 8ft 10"	2.3m 7ft 6"

**Ponders End to Hertford**

Length	Beam	Draught	Headroom
27.8m 91ft 2"	4.7m 15ft 5"	1.6m 5ft 3"	2.18m 7ft 1"

**LEEDS & LIVERPOOL CANAL****Maximum craft dimensions****Greenberfield Locks to Leeds**

Length	Beam	Draught	Headroom
19.40m 63ft 6"	4.3m 14ft 1"	1.15m 3ft 8"	2.15m 7ft

Note: 19.40m limiting length relates to the EAST, although generally the max length boat on the L&L is 18.90m (62ft)

**Liverpool to Leigh Branch**

Length	Beam	Draught	Headroom
22m 72ft 2"	4.4m 14ft 4"	1.22m 4ft	2.4m 7ft 9"

**Leigh Branch to Greenberfield**

Length	Beam	Draught	Headroom
19m 62ft 3"	4.5m 14ft 9"	1.14m 3ft 9"	2.28m 7ft 6"

Note: Limiting height is Foulridge tunnel

**Leigh Branch**

Length	Beam	Draught	Headroom
21.95m 72ft	4.6m 15ft 1"	1.2m 3ft 11"	2.3m 7ft 6"

**Rufford Branch**

Length	Beam	Draught	Headroom
18.89m 62ft	4.3m 14ft 1"	1.1m 3ft 7"	2.3m 7ft 6"

**MACCLESFIELD CANAL****Maximum craft dimensions**

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1m 3ft 3"	2.08m 6ft 10"

**MONMOUTHSHIRE & BRECON CANAL****Maximum craft dimensions**

Length	Beam	Draught	Headroom
16.76m 55ft	2.59m 8ft 4"	0.75m 2.46ft	1.80m 5ft 9"

Note: Ashford Tunnel limits cabin profile, eg 1.7m (5ft 7ins) height at 2.1m (6ft 10ins) width. Contact Waterway Office for further detail.

**MONTGOMERY CANAL****Maximum craft dimensions**

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft		1.83m 6ft

**RIVER OUSE (Yorkshire)****Maximum craft dimensions**

Length	Beam	Draught	Headroom
17.5m 57ft 4"	4.66m 15ft 2"	Tidal	5.94m (19ft 5") at Naburn Bridge

Note: Depths are in all cases dependant on river/tidal conditions.

**Naburn Locks to York**

Length	Beam	Draught	Headroom
42.62m 140ft	7.31m 24ft		

**York to Swale NAB**

Length	Beam	Draught	Headroom
18.28m 60ft	4.67m 15ft 4"		

**OXFORD CANAL****Maximum craft dimensions****Braunston Junction to Bridge 9**

Length	Beam	Draught	Headroom
21.96m 72ft	2.14m 7ft	1.5m 4ft 9"	1.83m 6ft

**Napton Junction to Oxford**

Length	Beam	Draught	Headroom
21.96m 72ft	2.09m 7ft	1.23m 4ft	1.98m 6ft 6"

PINCH POINT 2nd lock up

**Braunston Junction to Hawkesbury Junction**

Length	Beam	Draught	Headroom
21.96m 72ft	2.13m 7ft	1.40m 4ft 7"	2.07m 6ft 9"

**PEAK FOREST CANAL****Maximum craft dimensions**

Length	Beam	Draught	Headroom
21.96m 72ft	2.13m 7ft	1.22m 4ft	1.83m 6ft

**POCKLINGTON CANAL****Maximum craft dimensions**

Length	Beam	Draught	Headroom
17.37m 56ft 9"	4.3m 14ft 1"	1.22m	2.34m 7ft 8"

**RIBBLE MILLENNIUM LINK****Maximum craft dimensions**

Length	Beam	Draught	Headroom
18.9m 62ft	3.2m 10ft 5"	1.1m 3ft 7"	2.19m 7ft 2"

Note: Boat size is recommended from channel widths rather than Lock sizes, confirmation should be sought from the Trust before passage - Locks 7, 8 and 9 are tidal.

The locks on the Ribble link are for crafts 72' (21.96m) although the Rufford Branch is 62' (18.9m).

**RIPON CANAL****Maximum craft dimensions**

Length	Beam	Draught	Headroom
17.37m 56ft 9"	4.3m 14ft 1"	1.01m	2.5m 8ft 2"

**ROCHDALE CANAL****Maximum craft dimensions**

Length	Beam	Draught	Headroom
21.96m 72ft	2.91m 9ft 5"	1.19m 3ft 9"	1.83m 6ft

PINCH POINT Rodwell Tower 13'6" (4.14m)

**RIVER SEVERN** **Maximum craft dimensions**

**Gloucester to Worcester**

Length	Beam	Draught	Headroom
41.15m 135ft	6.4m 21ft	1.83m 6ft	7.47m 24ft 6"

Note: Draft and headroom measured at low summer levels

**Worcester to Stourport**

Length	Beam	Draught	Headroom
27.4m 89ft 11"	5.7m 18ft 8"	1.83m 6ft	6.1m 20ft

Note: Draft and headroom measured at low summer levels

**SHEFFIELD & SOUTH YORKSHIRE NAVIGATION** **Maximum craft dimensions**

**New Junction (West End) to Sheffield**

Length	Beam	Draught	Headroom
61m 200ft 2"	6.1m 20ft	2.5m 8ft 2"	3.05m 10ft 1"

**Stainforth & Keadby Canal**

Length	Beam	Draught	Headroom
18.8m 61ft 7"	5.2m 17ft 1"	2.22m 7ft 3"	3.3m 10ft 10"

Note: Through passage is limited by Thorne Lock. For the Bramwith to Thorne section, dimensions are as for the main line to Rotherham. Passage from River Trent To Thorne is limited by Keadby Lock 23.67m x 6.86m (77ft x 22ft 6ins) although longer craft can be admitted when the tide makes a level. 2.Narrowboats up to about 18.79m (61ft 8ins) can pass through Thorne Lock diagonally.

**Sheffield and Tinsley**

Length	Beam	Draught	Headroom
18.75m 61ft 6"	4.65m 15ft 3"	1.37m 4ft 3"	2.8m 9ft 2"

Note: Locks from Sheffield to tail of Tinsley flight are longer and will pass narrow boats up to about 21.37m (70ft). The cill and channel depth from Tinsley Bottom Lock to Sheffield Basin has a maximum draught of 1.22m (4ft).

**SHROPSHIRE UNION CANAL** **Maximum craft dimensions**

**Ellesmere Port to tail of Northgate Locks (Chester)**

Length	Beam	Draught	Headroom
21.95m 72ft	2.95m 9ft 8"	1.37m 4ft 6"	2.44m 8ft

PINCH PORT Motorway bridge 9'8"(2.95m); Ellesmere Port and the Railway Bridgbe below Bunury at 73' 6"(22.43m)

**Tail of Northgate locks to top of Bunbury Locks**

Length	Beam	Draught	Headroom
21.95m 72ft	2.95m 9ft 8"	1.14m 3ft 9"	2.44m 8ft

**Bunbury to Nantwich**

Length	Beam	Draught	Headroom
21.95m 72ft	2.95m 9ft 8"	1.14m 3ft 9"	2.44m 8ft

**Nantwich to Autherley Junction**

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1.14m 3ft 9"	2.44m 8ft

**Middlewich Branch**

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1.14m 3ft 9"	2.34m 7ft 8"

**Llangollen Branch**

Length	Beam	Draught	Headroom
21.95m 72ft	1.85m 6ft 10"	0.70m 2ft 3"	2.13m 7ft

PINCH POINT Hurleston

**River Dee Branch**

Length	Beam	Draught	Headroom
21.95m 72ft	4.3m 14ft 1"	1.37m 4ft 6"	2.34m 7ft 8"

**RIVER SOAR** **Maximum craft dimensions**

**Thurmaston Lock**

Length	Beam	Draught	Headroom
	4.57m 15ft		

**Bishop Meadow Lock**

Length	Beam	Draught	Headroom
22.3m 73ft 2"			

**Little Moorlane Arch Bridge**

Length	Beam	Draught	Headroom
			2.28m 7ft 6"

**Brick Lock**

Length	Beam	Draught	Headroom
27.17m 89ft 2"	3.87m 12ft 8"	1.1m 3ft 7"	1.95m 6ft 5"

**STAFFORDSHIRE & WORCESTERSHIRE CANAL** **Maximum craft dimensions**

**Stourport to Great Haywood**

Length	Beam	Draught	Headroom
21.34m 70ft	2.13m 7ft	.99m 3ft 3"	1.82m 6ft

**RIVER STORT** **Maximum craft dimensions**

Length	Beam	Draught	Headroom
26.8m 88ft	4.08m 13ft 4"		2.05m 6ft 9"

**SELBY CANAL** **Maximum craft dimensions**

Length	Beam	Draught	Headroom
23.90m 78ft 5"	5m 16ft 5"	1.22m 4ft	2.44m 8ft

Note: Burton Hall Bridge is the limiting dimension

**STOURBRIDGE CANAL (incl. Stourbridge Town Arm) Maximum craft dimensions**

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1.47m 4ft 10"	1.73m 5ft 8"

**STRATFORD-UPON-AVON CANAL Maximum craft dimensions****River Avon into Stratford Basin**

Length	Beam	Draught	Headroom
21.95m 72ft	4.57m 15ft		

NOTE: Height restrictions at bridge coming off river.

**Lapworth Basin to Bancroft Basin**

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1.41m 4ft 7"	1.83m 6ft

PINCH POINT Bridge 44 and 47

**Lapworth to Kings Norton (including Kingswood Branch)**

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1m 3ft 3"	2.1m 6ft 11"

**TEES NAVIGATION Maximum craft dimensions**

Length	Beam	Draught	Headroom
22m 72ft 2"	6m 19ft 8"	3.15m 10ft 4"	5.5m 18ft

**TRENT NAVIGATION (incl Beeston Cut & Nottingham Canal) Maximum craft dimensions****Shardlow to tail of Meadow Lane Lock, Nottingham**

Length	Beam	Draught	Headroom
24.3m 79ft 9"	4.62m 15ft 2"	1.22m 4ft	2.44m 8ft

Note: Navigation includes Nottingham/Beeston Canal

**Meadow Lane Lock to Cromwell Lock Tail**

Length	Beam	Draught	Headroom
51.3m 168ft 4"	6.09m 20ft	2.75m 9ft	3.81m 12ft 6"

**Tail of Cromwell Lock (Tidal)**

Length	Beam	Draught	Headroom

**TRENT & MERSEY CANAL Maximum craft dimensions****Preston Brook to Croxton**

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1.1m 3ft 7"	1.75m 5ft 9"

**Croxton to Wardle Junction (Middlewich Branch)**

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1.1m 3ft 7"	1.75m 5ft 9"

**Wardle Junction to Trentham Lock**

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1.1m 3ft 7"	1.75m 5ft 9"

**Trentham Lock to Great Haywood Junction**

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1.1m 3ft 7"	1.75m 5ft 9"

**Great Haywood Junction to Horninglow Basin, Burton-on-Trent**

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1.1m 3ft 7"	1.75m 5ft 9"

**Horninglow Basin to Shardlow**

Length	Beam	Draught	Headroom
21.95m 72ft	4.27m 14ft		2.13m 7ft

**Horninglow Basin to Derwent Mouth Lock**

Length	Beam	Draught	Headroom
21.95m 72ft	4.26m 14ft		

**WEAVER NAVIGATION Maximum craft dimensions****Weston Point Dock to Weston Marsh Lock**

Length	Beam	Draught	Headroom
65m 213ft 3"	11m 36ft 1"	3.2m 10ft 6"	unlimited

**Weston Marsh Lock to Winnington**

Length	Beam	Draught	Headroom
65m 213ft 3"	11.5m 37ft 9"	3.2m 10ft 6"	18m 59ft

**Winnington to Winsford**

Length	Beam	Draught	Headroom
60m 196ft 10"	10.7m 35ft 1"	2.9m 9ft 6"	9m 29ft 6"

**RIVER WITHAM NAVIGATION Maximum craft dimensions****Lincoln to Stamp End Lock**

Length	Beam	Draught	Headroom
20.2m 66ft 3"	5.4m 17ft 8"	1.52m 5ft	2.74m 9ft

**Stamp End Lock to Boston Grand Sluice**

Length	Beam	Draught	Headroom
20.7m 67ft 11"	5.3m 17ft 4"	1.52m 5ft	3.5m 11ft 6"

**WORCESTER & BIRMINGHAM CANAL Maximum craft dimensions****River Severn into Diglis Basin only**

Length	Beam	Draught	Headroom
21.95m 72ft	5.61m 18ft 5"	1.9m 6ft 3"	unlimited

**Gas Street to Diglis**

Length	Beam	Draught	Headroom
21.95m 72ft	2.13m 7ft	1m 3ft 3"	2.3m 7ft 6"